



# RELATIONSHIP BETWEEN KNOWLEDGE AND TODDLER MOTHERS' PARTICIPATION IN POSYANDU ACTIVITIES IN KALIJAYA VILLAGE, TELAGASARI DISTRICT, KARAWANG REGENCY

Lusi Destiniasari<sup>1</sup>, Asep Barkah<sup>2</sup>

Sekolah Tinggi Ilmu Kesehatan Abdi Nusantara Email: <sup>1</sup> <u>lusidestinia06@gmail.com</u>, <sup>2</sup> <u>asepbarkah8084@gmail.com</u>

## Abstract

Integrated Service Post is a Community-Resourced Health Effort implemented by, from, and with the Community to empower and make it easier for the Community to obtain health services for mothers, infant, and toddlers. The aim is to discover the relationship between knowledge about Posyandu and the participation of toddler mothers in Posyandu activities—chi-square research design with the design of distributing questionnaires directly to respondents. Researchers will collect data using a questionnaire. The total population was 88 respondents, using total sampling. Based on statistical tests, it shows that Posyandu knowledge has a p-value of 0.000 < 0.05. There is a significant relationship between Posyandu knowledge and the participation of mothers of toddlers in Posyandu activities in Kalijaya Village, Telagasari District, Karawang Regency.

Keywords: Posyandu Knowledge, Participation, Toddler, Toddler Mother

# Introduction

In order to empower and facilitate the community's access to health services for mothers, infants, and toddlers, Posyandu (Integrated Service Post) is a type of Community Resource Health Effort (UKBM) that is carried out by, from and with the community (Ministry of Health, 2023).

For various reasons, Indonesia's public health status is still low. One of the causes is that the community, including Posyandu, needs to use health service facilities better. In order to achieve community independence in resolving health issues, Posyandu is a type of strategic community empowerment in health development (Marniati, 2021).

In 2022, 65.95% of districts and cities implemented active Posyandu development; in 2023 and 2024, the corresponding targets were 100%, 90%, and 65%, respectively. In 2022, 48.44% of districts/cities had at least 80% active Posyandu; in 2022, the target was 75%; in 2023, the target was 80%; and in 2024, the target was 85%.

According to a prior study by Lika Liani (2023), mothers' participation in performing regular monthly checks at the Posyandu can be influenced by their level of understanding of the uses and functions of the Posyandu (Lika Liani, 2023).

The toddler's mother participates in Posyandu, which is one of the factors contributing to its success. In this instance, mothers actively participate in the planning, executing, and assessing of their community health initiatives. Only motivation and guidance are provided by health institutions (Notoatmodjo, 2021).

Knowledge or cognitive ability is one of the most powerful influences on how someone behaves (overt behavior). In Posyandu, this also holds for involvement with mothers. An understanding of Posyandu is a prerequisite for a mother. A mother is more likely to be motivated to send her child to Posyandu if she is more knowledgeable about the program's goals and advantages for tracking her child's development.

According to preliminary research conducted in January 2024 at the Telagasari Health Center, 281 toddlers were registered in Kalijaya village. Since it was not BIAN (National Child Immunization Month), mothers of toddlers did not take their kids to Posyandu and always believed that their kids were healthy; there was a decline in the number of Posyandu in Pasirtalaga village. As a result, eight out of ten mothers of toddlers knew less about Posyandu. According to research, the quality of life for children and the family can be enhanced by parental knowledge. Knowing parents well allows us to recognize potential issues in the family and offer suitable solutions that will enhance the family's welfare. In addition, this study can enlighten the public about the significance of Posyandu for children's long-term development and observation.

The author concludes that toddler mothers' involvement in taking their toddlers to Posyandu is significantly influenced by their level of knowledge about the place. The Posyandu program is a platform that the government offers in the hopes that parents will participate in government programs for toddlers, including head circumference measurements, TB (Height) / BB (Weight) measurements, LILA (Upper arm circumference) measurements, development monitoring, vaccinations, and extra food.

This study aimed to investigate the connection between Posyandu knowledge and Posyandu participation in Kalijaya village, Karawang Regency.

#### Method

This study employs a cross-sectional research design and a quantitative methodology. Studying the dynamics of the correlation between risk factors or independent variables and the effects or dependent variables that are observed or data collected concurrently is known as cross-sectional research. The site where the research is conducted is known as the research location (Notoatmodjo, 2018). In January 2024, this study was carried out at the Telagasari Community Health Center.

Using a total sampling technique, 88 respondents made up the sample for this study. Data-gathering tools are used to get the information required to meet the goals of research (Notoatmodjo, 2018). The research employed questionnaires from earlier studies and attendance records from Posyandu events. The research tool utilized in this study was a knowledge questionnaire regarding Posyandu. Univariate and bivariate data analysis using the chi-square test are employed.

#### Result

Table 1. Distribution of frequencies according to engagement in Posyandu activities

Participation	Frequency	Percentage		
	(n)	(%)		
Passive	47	53.4		
Active	41	46.6		
Total	50	100		

Source: Primary Data 2024

Table 1 above shows that out of the 88 respondents, 41 (46.6%) actively participated in Posyandu, while 47 (53.4%) attended it passively.

Knowledge	Frequency	Percentage
	(n)	(%)
Less	41	46.6
Good	47	53.4
Total	50	100
Source	· Primary Dat	a 2024

#### Table 2. Results of the knowledge distribution concerning Posyandu

Source: Primary Data 2024

Table 2 shows that, out of the 88 respondents, 47 (53.4%) had good knowledge of Posyandu, and 41 (46.6%) had poor knowledge.

Table 3. Association between involvement in Posyandu activities and knowledge of Posyandu

Knowledge	Participation				Total		P-Value
Variable	Passive		Acti	Active			_
	F	%	F	%	Ν	%	
Less	36	87.8	5	12.2	41	100	_
Good	11	23.4	36	76,6	47	100	0.000
Total	47	53.4	41	46.6	88	100	

Table 5.3 shows that of the 41 respondents with inadequate knowledge of Posyandu, 3 (76.6%) were actively involved in Posyandu activities. In comparison, most of the 47 respondents with good knowledge of Posyandu were not involved in any Posyandu activities. The majority of them took a passive part in Posyandu activities. 36 (77-8%) The results of the chi-square test analysis showed that H<sub>0</sub> was rejected with a p-value of 0.000 (P<0.05). This finding indicates a relationship between knowledge and Posyandu involvement.

### Discussion

#### Frequency Distribution of Knowledge about Posyandu

Forty-seven respondents (53.4%) had good knowledge of Posyandu, while 41 respondents (46.6%) had poor knowledge, according to 88 respondents' field research findings. Knowing is crucial for altering health-related behavior.

Knowledge is one of the things that affects a person's behavior, and it affects how mothers of toddlers participate in Posyandu. Posyandu is beneficial and essential for children's health, and mothers of small children will be able to appreciate this if they are well-informed about it. As a result, mothers of young children will be inspired to engage in Posyandu actively.

Sanjaya's (2022) study in West Tulang Bawang Regency, Lampung, demonstrates a strong positive correlation between moms' Posyandu knowledge and the regularity with which toddlers between the ages

of 12 and 36 months are weighed. The study's findings indicate that mothers well-versed in Posyandu are more likely to bring their kids to Posyandu regularly for weight checks.

Mothers of small children who are well-informed about Posyandu's advantages will recognize that Posyandu is the ideal location for children to receive medical care. Posyandu offers various pediatric health services, including vaccinations, weight-gaining, health education, and extra food provision.

## **Frequency Distribution of Participation in Posyandu Activities**

According to 88 respondents' field research findings, 41 respondents (46.6%) engaged in active Posyandu participation, while 47 (53.4%) engaged in passive Posyandu participation.

Participation in the Posyandu is one way to measure its success. High Posyandu participation demonstrates that the community values Posyandu and fully utilizes its resources.

The mother's awareness of Posyandu is one factor that affects her child's participation in Posyandu, according to WHO (2021). Mothers who are well-versed in Posyandu will recognize its advantages and significance for their children's health. Mothers' attitudes toward Posyandu, or active participation in it, will be encouraged by this situation. Positive attitudes regarding Posyandu will increase mothers' access to Posyandu and increase their likelihood of attending. Mothers who can quickly get to Posyandu will be more likely to attend and receive support from their families. Support from the family, particularly the husband, can motivate mothers to go to Posyandu.

### The Relationship Between Knowledge About Posyandu and Participation in Posyandu Activities

According to field research findings, of the 41 respondents with inadequate knowledge of Posyandu, 36 (87.8%) were passive in Posyandu activities. In comparison, the majority of the 47 respondents with good knowledge of Posyandu participated actively in Posyandu activities, comprising 36 (76.6%). The chi-square test analysis yields a p-value of 0.000 (P<0.05), meaning that H0 is rejected. This finding indicates a relationship between knowledge and Posyandu involvement.

Participation in the Posyandu is one way to measure its success. High Posyandu participation demonstrates that the community values Posyandu and fully utilizes its resources.

Mothers' access to Posyandu and engagement in Posyandu activities are significantly positively correlated, according to research by Triyanti (2021) in Semarang Regency, Central Java. The study's findings indicate that mothers are more likely to attend Posyandu if it is easily accessible.

According to research done in Klaten Regency, Central Java, by Kusumawardhani (2021), mothers' involvement in Posyandu activities and family support for Posyandu are significantly positively correlated. According to the study, moms with family support are more likely to participate in Posyandu.

Since knowledge is one of the things that affects a person's behavior, it follows that knowledge impacts participation in Posyandu. Mothers who are well-informed about Posyandu will recognize its advantages and significance for their children's health. Mothers will be inspired to participate actively in Posyandu as a result. Mothers who are well-versed in the benefits of Posyandu will understand that it is crucial for preserving their children's health, development, and growth. Posyandu can give moms information about their kids' health and development and assist in keeping an eye on their growth and development.

## Conclusion

The majority of respondents, 47 (53.4%), had good knowledge of Posyandu, according to research done at the Telagasari Community Health Center in January 2024 with 88 participants. Of the respondents, 41 (46.6%) had the highest percentage of active participation. A significant correlation with a p-value of 0.000 exists between Posyandu knowledge and Posyandu activity participation.

## References

- [1] Arikunto, S. (2019). *Prosedur Penelitian*. Jakarta: Rineka Cipta.
- [2] Asmariani. (2019). *Konsep Pola Asuh Orang Tua. Jurnal Kesehatan Nasional*. Hal 11-12. Poltekes Denpasar.
- [3] Chikmah, A. M., Laksono, B., & Yuniastuti, A. (2016). *Efektivitas SMS Bunda Dibanding Kelas Ibu Balita Terhadap Peningkatan Pengetahuan, Sikap, Perilaku*. Public Health Perspective Journal, 1(1), halaman 21–28.
- [4] Conger, R. D., & Elder Jr, G. H. (2021). *Families in troubled times: Adapting to change in rural America*. AldineTransaction.
- [5] DeFranco, E. A., Stamilio, D. M., Boslaugh, S. E., & Gross, G. A. (2019). *A short interpregnancy interval is a risk factor for preterm birth and its recurrence*. American Journal of Obstetrics and Gynecology, 191(2), 481-486.
- [6] Dufur, M. J., Parcel, T. L., & Hoffmann, J. P. (2021). Family Background, Parental Education, and Parenting Knowledge: Do They Matter for Parenting Behaviors? Child Development, 92(4), 1308-1323.
- [7] Ellis, L. K., & Hoskin, A. W. (2018). Parenting in context: Revisiting the intersectionality of age, gender, and parenting. Developmental Psychology, 54(9), 1724-1734.
- [8] Fatmaningtyas, Rosi. 2018. *Hubungan Pengentahuan Ibu Dengan Pola Asuh Anak Temper Tantrum Pada Usia Toddler*. Jurnal Kesehatan Nasional. Ponorogo.
- [9] Hidayah, L., & Rosita, D. (2018). Pelaksanaan Kelas Ibu Balita di Wilayah Kerja Puskesmas Godong I. Karya Ilmiah untuk Peningkatan Kesehatan Bangsa. Kudus.
- [10] Hout, M. (2021). Social and Economic Returns to College Education in the United States. Annual Review of Sociology, 47(1), 379-399.
- [11] Ifa Ariska Dewi (2022). Hubungan Sikap Dan Pengetahuan Ibu Balita Terhadap Kepatuhan Datang ke Posyandu di Desa Pandanarum Kecamatan Tempeh Kabupaten Lumajang Tahun 2022. Jurnal Ilmiah Obsgin. Vol.15 No.2 (2023).
- [12] Indrayani, D., Legiati, T., & Hidayanti, D. (2019). Kelas Ibu Balita Meningkatkan Pengetahuan dan Keterampilan Ibu dalam Stimulasi Tumbuh Kembang. Jurnal Kesehatan Prima, 13(2), 115–121.
- [13] Kanaoka, T., & Tachibana, Y. (2021). *Parental education and child outcomes: A systematic review and meta-analysis*. Child Development Perspectives, 15(1), 29-39.
- [14] Kemenkes RI, 2019. Pedoman Pelaksanaan Kelas Ibu Balita. Kementerian Kesehatan RI Dirjen Kesehatan Masyarakat. Jakarta.
- [15] Kementerian Kesehatan, 2021. Profil Kesehatan Indonesia. Jakarta : Kementerian Kesehatan Republik Indonesia.
- [16] Kementerian Pemberdayaan Perempuan dan Perlindungan Anak. 2018. Profil Anak Indonesia 2018. ISSN 2089 3523. Jakarta.

- [17] Kementerian Kesehatan Republik Indonesia. (2019). *Pedoman Umum Posyandu*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- [18] Kurnia, Wida. 2018. Program Pengaruh Kelas Ibu Balita Terhadap Pengetahuan Ibu, Pola Asuh, Asupan Zat Gizi, Pola Makan Dan Status Gizi Pada Balita Gizi Buruk Usia 0-59 Bulan Di Wilayah Kerja Puskesmas Picung Tahun 2018. Jurnal Kesehatan Nasional.
- [19] Kusuma, D., & Darwanto, A. (2021). Factors associated with the attendance of mothers to integrated health posts (Posyandu) in Indonesia: a systematic review and meta-analysis. BMC Public Health, 21(1), 1-12.
- [20] Kusumawardani, N., Wijayanti, R., & Sari, E. (2019). Hubungan Pengetahuan Orangtua tentang Pola Didik dengan Pola Didik Orangtua pada Anak Usia 3-6 Tahun. Kesmas: National Public Health Journal, 14(2), 83-88. https://doi.org/10.21109/kesmas.v14i2.2350.
- [21] Kusumawardhani, R., Nurhayati, E., & Nurcahyaningtyas, M. (2021). Hubungan dukungan keluarga terhadap keikutsertaan ibu dalam kegiatan Posyandu di wilayah kerja Puskesmas Cawas Kabupaten Klaten. Jurnal Ners Dan Kebidanan, 11(1), 1-7.
- [22] Lareau, A. (2021). Unequal Childhoods: Class, Race, and Family Life. University of California Press.
- [23] Lika Liani (2023). Hubungan Pengetahuan Ibu Tentang Posyandu Dengan Pemanfaatan Posyandu Di Wilayah Kerja Puskesmas Kayu Kunyit Kabupaten Bengkulu Selatan. Jurnal Vokasi Kesehatan. Vol. 2, No. 2 (85-90) Tahun 2023.
- [24] Nasution, M. P., Susanti, E., & Kurniawan, Y. (2020). Factors associated with attendance of mothers to posyandu in Indonesia: A systematic review and metaanalysis. PLoS One, 15(3), e0230563.
- [25] Nuraeni, A., Wijayanti, R., & Sari, E. (2019). Hubungan Pengetahuan Orangtua tentang Pola Asuh dengan Pola Didik Orangtua pada Anak Usia 3-5 Tahun. Kesmas: National Public Health Journal, 14(3), 143-148. https://doi.org/10.21109/kesmas.v14i3.2419.
- [26] Nuryanti S, Suryanto. The Effect of Health Education on the Knowledge and Attitude of Mothers in Caring for Children Under Five Years Old in the Work Area of Puskesmas Tegal. Journal of Health Science. 2017; 6(2): 2938.
- [27] Putri TP, Yuniarti E. The Effect of Health Education on the Knowledge and Attitude of Mothers with Children Under Five Years Old in Preventing Diarrhea. Journal of Health Promotion and Behavior. 2019; 4(1): 19-28.
- [28] Sari R, Darmayanti A, Munir M. *The Effect of Health Education on Mother's Knowledge and Attitude in Preventing Diarrhea in Toddlers*. KnE Life Sciences. 2018; 4(4): 2633.
- [29] Sanjaya, D. A., Utami, R. K., & Sari, E. P. (2022). Pengaruh Pengetahuan Ibu tentang Posyandu terhadap Keteraturan Menimbang Batita Usia 12-36 Bulan di Wilayah Kerja Puskesmas Rawajitu Utara Kabupaten Tulang Bawang Barat. Jurnal Kebidanan Dan Keperawatan, 12(1), 40-47.
- [30] Sri, L., Endang, S & Dzulfikar. (2018). Pengaruh Kelas Ibu Balita Terhadap Peningkatan Pengetahuan, Sikap dan Keterampilan Ibu Balita Dalam Merawat Balita di Wilayah Kerja Puskesmas Sukarasa Kota Bandung. Bhakti Kencana Medika, Volume 4, No. 1, Hal 1-74.
- [31] Schoppe-Sullivan, S. J., Altenburger, L. E., Settle, T. A., Kamp Dush, C. M., & Sullivan, J. M. (2017). *Parenting in context: Revisiting parental psychological control in middle childhood*. Journal of Family Psychology, 31(7), 874–885. https://doi.org/10.1037/fam0000332.
- [32] Titaley, C. R., Hunter, C. L., Heywood, P., & Dibley, M. J. (2019). Why don't some women attend antenatal and postnatal care services?: A qualitative study of community members' perspectives in Garut, Sukabumi and Ciamis districts of West Java Province, Indonesia. BMC Pregnancy and Childbirth, 10(1), 61.

- [33] Triyanti, A. (2021). Hubungan Akses Ibu terhadap Posyandu dengan Keikutsertaan Kegiatan Posyandu di Wilayah Kerja Puskesmas Bawen Kabupaten Semarang. Jurnal Kesehatan Masyarakat, 17(2), 1-7.
- [34] World Health Organization. (2021). *Essential Services of Primary Health Care*. Geneva: World Health Organization.